

ECE 2400 Computer Systems Programming

Fall 2021

Topic 1: Introduction to C

School of Electrical and Computer Engineering
Cornell University

revision: 2021-08-29-22-42

1	Statements, Syntax, Semantics, State	3
2	Variables, Literals, Operators, Expressions	4
2.1.	Variables	5
2.2.	Literals	5
2.3.	Operators	6
2.4.	Expressions	7
2.5.	Simple C Programs	8
3	Blocks and Scope	9
3.1.	Blocks	9
3.2.	Scope	10
4	Functions	11
4.1.	Function Definition	11
4.2.	Function Call	12
4.3.	The printf Function	15


5	Conditional Statements	16
5.1.	Boolean Operators	16
5.2.	if/else Conditional Statements	18
6	Iteration Statements	21
6.1.	for Loops	21

zyBooks The zyBooks logo is used to indicate additional material included in the course zyBook which will not be discussed in detail in lecture. Students are responsible for all material covered in lecture and in the course zyBook.

Copyright © 2021 Christopher Batten. All rights reserved. This handout was prepared by Prof. Christopher Batten at Cornell University for ECE 2400 / ENGRD 2140 Computer Systems Programming. Download and use of this handout is permitted for individual educational non-commercial purposes only. Redistribution either in part or in whole via both commercial or non-commercial means requires written permission.

Before you can learn to write, you must learn to read!
This is true for foreign languages and programming languages.


1. Statements, Syntax, Semantics, State



Sequence of statements	It is raining outside. Should I use an umbrella?
Sentence	It is raining outside.
Sentence grammar	punctuation; "I" is a pronoun; "is" uses present tense
Sentence meaning	rain is water condensed from the atmosphere, outside means in the outdoors
Memory of prior statements	remember that it is raining outside when considering umbrella

An example English “program”

- 01 Create box named x.
- 02 Put value 3 into box named x.
- 03 Create box named y.
- 04 Put value 2 into box named y.
- 05 Create box named z.
- 06 Put $x + y$ into box named z.



2. Variables, Literals, Operators, Expressions

- _____ is a box (in the computer’s memory) which stores a value; variables have names and are used for “state”
- _____ is a value written exactly as it is meant to be interpreted; a literal is not a name, it is the value itself
- _____ is a symbol with special semantics to “operate” on variables and literals
- _____ is a combination of variables, literals, and operators which evaluates to a new value

2.1. Variables

- _____ is a box (in the computer's memory) which stores a value
- _____ is used to name a variable
- _____ specifies the kind of values that can be stored in a variable
- _____ creates a new variable
- Statements in C must end with a semicolon

```
1 int my_variable;  
2 int MY_VARIABLE;  
3 int myVariable;  
4 int MyVariable;  
5 int variable_0;  
6 int _variable;  
7 int __variable__;  
8 int 0_variable;  
9 int variable$1;
```

2.2. Literals

- A **literal** is a value written exactly as it is meant to be interpreted
- A variable is a name for a box that can hold different values
- A constant variable is a name that can hold a single value
- A literal is not a name but the value itself
- Example integer literals
 - 13 literally the number 13 in base 10
 - -13 literally the number -13 in base 10
 - 0x13 literally the number 13 in base 16 (i.e., 19 in base 10)
 - 0xdeadbeef literally a large number in base 16

2.3. Operators

- An **operator** is a symbol with special semantics to “operate” on variables and literals
- _____ (=) “assigns” a new value to a variable
- _____ combines the assignment operator with a left-hand side (LHS) and a right-hand side (RHS)
- The **LHS** specifies the variable to change
- The **RHS** specifies the new value, possibly using a literal

```
1 int my_variable;  
2 my_variable = 42;
```

- A variable declaration statement and an assignment statement can be combined into a single **initialization statement**

```
1 int my_variable = 42;
```

- Other operators are provided for arithmetic functions such as addition (+), subtraction (-), multiplication (*), division (/), and modulus (%)
- Division is *integer* division
 - $6 / 2$ is 3
 - $5 / 2$ is 2 not 2.5
- Modulus is *integer* remainder
 - $6 \% 2$ is 0
 - $5 \% 2$ is 1
- We will explore overflow, underflow, etc in Topic 3

2.4. Expressions

- An **expression** is a combination of variables, literals, and operators which evaluates to a new value

$$1 \quad 3 + 4$$

$$2 \quad 3 + 4 * 2 + 7$$

$$3 \quad 3 * 4 / 2 * 6$$

- **Operator precedence** is a set of rules describing in what order we should apply a sequence of operators in an expression

Category	Operator	Associativity
Multiplicative	* / %	left to right
Additive	+ -	left to right
Assignment	=	right to left

Be explicit – use parenthesis!

2.5. Simple C Programs

We can compose assignment and initialization statements which use variables, literals, operators, and expressions to create a simple C program.



Translating our English “program” into a C program

```
□□□ 01 int x;  
□□□ 02 x = 3;  
□□□ 03 int y;  
□□□ 04 y = 2;  
□□□ 05 int z;  
□□□ 06 z = x + y;
```

An empty box in a state diagram means the variable contains an undefined value

Draw a state diagram corresponding to the execution of this program

```
□□□ 01 int x = 2;  
□□□ 02 int y = x;  
□□□ 03 x = 3;  
□□□ 04 int z = x + y * 5;  
□□□ 05 y = x + y * x + y;
```



3. Blocks and Scope

- Blocks and scope provide syntax and semantics to help manage more complex programs

3.1. Blocks

- A **block** is a compound statement
- Curly braces are used to open and close a block (`{}`)
- Blocks are critical for defining functions, conditional statements, and iteration statements

```
1 {  
2     int x = 2;  
3     int y = x;  
4 };  
5  
6 {  
7     int z = 3;  
8     z = z + 1;  
9 };
```

- Since a block is itself a statement, it has a trailing semicolon
- In practice, the trailing semicolon may be (should be) omitted

```
1 {  
2     int x = 2;  
3     int y = x;  
4 }
```


3.2. Scope

- **Scope** of a variable is the region of code where it is accessible
- C blocks create new **local scopes**
- We can declare new variables that are only in scope in the block

```

01 int w = 1;
02 {
03     int x = 2;
04     int y = 3;
05 }
06 int z = w;
  
```


Use an X on the right of a variable box to indicate that this variable has gone out of scope and thus has been deallocated



Draw a state diagram corresponding to the execution of this program

```

01 int x = 1;
02 {
03     int y = 2;
04     {
05         y = 3;
06     }
07     x = y;
08 }
09 int z = y;
  
```



zyBooks The course zyBook includes more information on name binding which provides a precise set of rules for associating a specific variable name to a specific in-scope variable declaration.

4. Functions

- _____ names a *parameterized* sequence of statements
- _____ describes how a function behaves
- _____ is a new kind of expression to execute a function
- All code in C programs are inside functions!

4.1. Function Definition

```
1 rtype function_name( ptype0 pname0, ptype1 pname1, ... )
2 {
3     function_body;
4 }
```

- _____ is a unique identifier for the function
- _____ is the parameterized sequence of statements
- _____ is a list of parameter types and names
- _____ is the type of the value returned by the function

```
1 int avg( int x, int y )
2 {
3     int sum = x + y;
4     int ans = sum / 2;
5     return ans;
6 }
```

- **Function prototype** is just line 1
- Useful for informing the compiler that a function exists with a specific interface, but without specifying the implementation

```
1 int main()
2 {
3     int a = 10;
4     int b = 20;
5     int c = ( a + b ) / 2;
6     return 0;
7 }
```

- `main` is special: it is always the first function executed in a program
- `main` returns its “value” to the “system”
- The return value is called the **exit status** for the program
- Returning zero means success in Linux
- Returning greater than zero means failure in Linux

4.2. Function Call

```
1 function_name( pvalue0, pvalue1, ... )
```

- To call a function we simply use its name and pass in one value for each parameter in the parameter list surrounded by parenthesis
- If parameters are expressions, then we must evaluate them *before* calling the function
- A function call is itself an expression which evaluates to the value returned by the function
- Function parameters and “local” variables declared within a function are effectively in a new block which is called the function’s **stack frame**
- The value of each parameter is *copied* into these local variables (**call-by-value** semantics)


Steps for calling a function

1. Evaluate parameters, allocate temp storage in caller's stack frame?
2. Allocate storage on caller's stack frame for the return value?
3. Allocate the callee's stack frame with space allocated for parameters
4. Copy evaluated parameters from step 1 into callee's stack frame
5. Record location of function call
6. Move execution arrow to first statement in callee
7. Evaluate statements inside the callee
8. At return statement, evaluate argument, update variable in caller
9. Return execution arrow back to where function was called in caller
10. Deallocate the callee's stack frame

```

□□□ 01 int avg( int x, int y )
□□□ 02 {
□□□ 03     int sum = x + y;
□□□ 04     int ans = sum / 2;
□□□ 05     return ans;
□□□ 06 }
□□□ 07
□□□ 08 int main()
□□□ 09 {
□□□ 10     int a = 10;
□□□ 11     int b = 20;
□□□ 12     int c = avg( a, b );
□□□ 13     return 0;
□□□ 14 }


```



Use dot in an execution box for a function call. Always shift one column of execution boxes to the left when you move the execution arrow backwards. Use vertical line to for skipping statements.

Draw a state diagram
corresponding to the execution of
this program

```
□□□ 01 int add( int r, int s )
□□□ 02 {
□□□ 03     int t = r + s;
□□□ 04     return t;
□□□ 05 }
□□□ 06
□□□ 07 int avg( int x, int y )
□□□ 08 {
□□□ 09     int sum = add( x, y );
□□□ 10     return sum / 2;
□□□ 11 }
□□□ 12
□□□ 13 int main()
□□□ 14 {
□□□ 15     int a = 10;
□□□ 16     int b = 20;
□□□ 17     int c = avg( a, b );
□□□ 18     return 0;
□□□ 19 }
```



4.3. The printf Function

The `printf` function is provided by the C standard library and can be used to print values to the screen. Here is pseudocode for the `printf` function definition.

```
1 printf( format_string, value0, value1, ... )
2 {
3     substitute value0 into format_string
4     substitute value1 into format_string
5     ...
6     display final format_string on the screen
7 }
```

Here is an example of calling `printf`.

```
1 #include <stdio.h>
2
3 int avg( int x, int y )
4 {
5     int sum = x + y;
6     return sum / 2;
7 }
8
9 int main()
10 {
11     int a = 10;
12     int b = 20;
13     int c = avg( a, b );
14     printf( "average of %d and %d is %d\n", a, b, c );
15     return 0;
16 }
```

- <https://repl.it/@cbatten/ece2400-T01-ex1>
- <https://godbolt.org/z/crzvMf>

zyBooks `printf` is used for sending output to the console. The course zyBook also discusses `scanf` which is used to retrieve input from the console.

5. Conditional Statements

- **Conditional statements** enable programs to make decisions based on the values of their variables
- Conditional statements enable **non-linear forward control flow**

5.1. Boolean Operators

- **Boolean operators** are used in expressions which evaluate to a either true or false
- In C, a Boolean value is just an integer, where we interpret a value of zero to mean false and any non-zero value to mean true

<code>expr1 == expr2</code>	tests if <code>expr1</code> is _____ to <code>expr2</code>
<code>expr1 != expr2</code>	tests if <code>expr1</code> is _____ to <code>expr2</code>
<code>expr1 < expr2</code>	tests if <code>expr1</code> is _____ to <code>expr2</code>
<code>expr1 <= expr2</code>	tests if <code>expr1</code> is _____ to <code>expr2</code>
<code>expr1 > expr2</code>	tests if <code>expr1</code> is _____ to <code>expr2</code>
<code>expr1 >= expr2</code>	tests if <code>expr1</code> is _____ to <code>expr2</code>
<code>!expr</code>	computes the logical _____ of <code>expr</code>
<code>expr1 && expr2</code>	computes the logical _____ of <code>expr1</code> and <code>expr2</code>
<code>expr1 expr2</code>	computes the logical _____ of <code>expr1</code> and <code>expr2</code>

Using these operators in an expression evaluates to either zero (false) or one (true)

- Logical operators also have a place in the operator precedence table

Category	Operator	Associativity
Unary	!	right to left
Multiplicative	* / %	left to right
Additive	+ -	left to right
Relational	< <= > >=	left to right
Equality	== !=	left to right
Logical AND	&&	left to right
Logical OR		left to right
Assignment	=	right to left

5.2. if/else Conditional Statements


```
1  if ( conditional_expression )
2    then_statement;
3  else
4    else_statement;
```

- _____ is an expression which returns a Boolean
- _____ is executed if the conditional expression is true
- _____ is executed if the conditional expression is false
- Recall that blocks are compound statements


```
1  if ( conditional_expression0 )
2    then_statement0;
3  else if ( conditional_expression1 )
4    then_statement1;
5  else
6    else_statement;
```

- If the first cond expression is true, execute first then statement
- If the first cond expression is false, evaluate second cond expression
- If second cond expression is true, execute second then statement
- If second cond expression is false, execute else statement

```
0001 int min( int x, int y )
0002 {
0003     int z;
0004     if ( x < y ) {
0005         z = x;
0006     }
0007     else {
0008         z = y;
0009     }
0010     return z;
0011 }
0012
0013 int main()
0014 {
0015     int a = min( 5, 9 );
0016     int b = min( 7, 3 );
0017     return 0;
0018 }
```



```
0001 int min3( int x, int y, int z )
0002 {
0003     if ( x < y ) {
0004         if ( x < z )
0005             return x;
0006     }
0007     else if ( y < z ) {
0008         return y;
0009     }
0010     return z;
0011 }
0012
0013 int main()
0014 {
0015     int a = min3( 3, 7, 2 );
0016     return 0;
0017 }
```



zyBooks The course zyBook includes more information on `switch/case` conditional statements that enable immediately jumping to a specific statement based on a selection expression.

6. Iteration Statements

- **Iteration statements** enable programs to execute the same code multiple times based on a conditional expression
- Iteration statements enable **backward flow control**
- Two primary kinds of iteration statements: **while** and **for loops**

6.1. for Loops

```

1  for ( initialization_stmt; cond_expr; increment_stmt )
2    loop_body;

```

- _____ is executed once before loop executes
- _____ is an expression which returns a Boolean
- _____ is a statement which is executed as long as the
conditional expression is true
- _____ is executed at the end of each iteration

```

01  int mul( int x, int y )
02  {
03      int z = 0;
04      for ( int i=0; i<y; i=i+1 ) {
05          z = z + x;
06      }
07      return z;
08  }
09
10  int main()
11  {
12      int a = mul(2,3);
13      return 0;
14  }

```

